

# HIGH SCHOOL ROUND ONE

---



You will have **two minutes** to evaluate each of the fifteen definite integrals that will be displayed one at a time on this screen. **All answers must be simplified.** At the end of the two minutes, all hands must go up and judges will grade your answers immediately. For each correct answer, you will receive one raffle ticket to be entered for prizes that will be drawn after dinner.

At most five participants will move to the Finals—to be determined by the total number of correct answers and tiebreaking criteria if necessary.

**INTEGRAL #1**

**READY,  
GET SET,...**

**2:00**

**INTEGRAL #1**

$$\int_0^1 2012^{2012} dx$$

## INTEGRAL #1

$$\int_0^1 2012 x^{2012} dx$$

$$= \left[ 2012 \cdot \frac{x^{2013}}{2013} \right]_0^1$$

$$= \frac{2012}{2013}$$




**INTEGRAL #2**

**READY,  
GET SET,...**

**2:00**



**INTEG**



## INTEGRAL #2

$$\int_0^2 \cos \frac{\pi}{2} x$$

$$= \frac{1}{\pi} \int_0^{\pi} \cos x \quad \left[ \begin{array}{l} = \frac{\pi}{2} \\ = \frac{\pi}{2} \end{array} \right]$$

$$= \frac{1}{\pi} \left[ \sin x \right]_0^{\pi} = \frac{1}{\pi} \left( \frac{\sqrt{2}}{2} - 0 \right)$$

$$= \frac{\sqrt{2}}{\pi}$$

**INTEGRAL #3**

**READY,  
GET SET,...**

**2:00**

**M**



## INTEGRAL #3

$$\int_0^1 (5 + ) ( + )$$

## INTEGRAL #3

$$\int_0^1 (\sqrt{x} + 1)(\sqrt{x} + 1)$$

**INTEGRAL #4**

**READY,  
GET SET,...**

**2:00**

## INTEGRAL #4

$$\int_0^{\sqrt{\pi/2}} \sin(x^2) dx$$



## INTEGRAL #4

$$\int_0^{\sqrt{\pi^2}} \sin(x^2)$$

$$= \frac{1}{2} \int_0^{\pi^2} \sin(x) \quad [ = x^2 = 2 ]$$

$$= \frac{1}{2} \left[ -\cos(x) \right]_0^{\pi^2}$$

$$= \frac{1}{2}$$

**INTEGRAL #5**

**READY,  
GET SET,...**

**2:00**

**INTEGRAL #5**

$$\int_1^2 \frac{+}{.2}$$





**INTEGRAL #6**

**READY,  
GET SET,...**

**2:00**

## INTEGRAL #6

$$\int_{\pi}^{\pi/2} \frac{\cos}{1 - \cos^2}$$

## INTEGRAL #6

$$\int_{\pi}^{\pi/2} \frac{\cos}{1 - \cos^2}$$

$$= \int_{\pi}^{\pi/2} \frac{\cos}{\sin^2}$$

$$= \int_{1/2}^1 \frac{1}{2} \quad \left[ \begin{array}{l} = \sin \\ = \cos \end{array} \right]$$

$$= \left[ -\frac{1}{\sin} \right]_{1/2}^1 = 1$$

Q H

**INTEGRAL #7**

**READY,  
GET SET,...**

**2:00**

**INTEGRAL #7**

$$\int_0^1 (\sqrt{\quad} + \sqrt{\quad})$$

**INTEGRAL #7**

$$\int_0^1 (\sqrt{\quad} + \sqrt{\quad})$$

$$= \int_0^1 (\quad + \quad)$$

$$= \left[ \quad + \quad \right]_0^1$$

$$= \boxed{1}$$

**INTEGRAL #8**

**READY,  
GET SET,...**

**2:00**



## **INTEGRAL #8**





**INTEGRAL #8**

$$\int_{\pi}^{\pi} \sec (\tan - \sec )$$

$$= \int_{\pi}^{\pi} (\sec \tan - \sec^2 )$$

$$= \left[ \sec - \tan \right]_{\pi}^{\pi}$$

$$= (2 - \sqrt{2}) - (\sqrt{2} - 1) = -\sqrt{2} - \sqrt{2}$$

**INTEGRAL #9**

**READY,  
GET SET,...**

**2:00**

**INTEGRAL #9**

$$\int_0^1 \sqrt{x} (\sqrt{x} + 1)$$

**INTEGRAL #9**

$$\int_0^1 \sqrt{x} (\sqrt{x} + 1)$$

$$= \frac{2}{3} \int_1^2 \left[ \sqrt{x} + 1 \right] dx$$

$$= \frac{2}{3} \left[ \frac{2}{3} \right]_1^2$$

$$= \frac{5}{2}$$

**INTEGRAL #10**

**READY,  
GET SET,...**

**2:00**

**INTEGRAL #10**

$$\int_1 \left( + \frac{1}{-} \right)^2$$



**INTEGRAL #11**

**READY,  
GET SET,...**

**2:00**



**INTEGRAL #11**

$$\int_0^{\pi/2} \cos$$





**INTEGRAL #12**

$$\int_{-}^1 ( + ) \sqrt{ + }$$

## INTEGRAL #12

$$\int_{-}^1 ( + ) \sqrt{ + }$$

$$= \int_{-}^1 ( + )^2$$

$$= \int_0^2 \left[ = + = \right]$$

$$= \left[ \frac{2 \sqrt{2}}{\sqrt{2}} \right]_0 = \frac{\sqrt{2}}{\sqrt{2}}$$

**INTEGRAL #13**

**READY,  
GET SET,...**

**2:00**

**INTEGRAL #13**

$$\int_0^{\pi} (\cos - \sin)$$

**INTEGRAL #13**

$$\begin{aligned} & \int_0^{\pi} (\cos^2 - \sin^2) \\ &= \int_0^{\pi} (\cos^2 + \sin^2) (\cos^2 - \sin^2) \\ &= \int_0^{\pi} 1 \cdot (\cos^2 - \sin^2) = \int_0^{\pi} \cos 2x \\ &= \left[ \frac{\sin 2x}{2} \right]_0^{\pi} = \frac{\sqrt{\quad}}{\quad} \end{aligned}$$



**INTEGRAL #14**

**READY,  
GET SET,...**

**2:00**



**INTEGRAL #14**

$$\int_0^1 2x^2 \cdot \sqrt{x} \, dx$$

$$= \int_0^1 120x^1 \, dx$$

$$= \left[ 120 \cdot \frac{x^2}{2} \right]_0^1 = \left[ 60x^2 \right]_0^1$$

$$= \boxed{60}$$

**INTEGRAL #15**

**READY,  
GET SET,...**

**2:00**



L #15

**INTEGRAL #15**

$$\int_0^1 \sqrt{\quad} \quad 10 \quad 000000010 \quad 010 \quad 010 \quad 010 \quad 0100001$$

**THANKS FOR PLAYING**

**LET'S EAT!**

**(YOU HAVE TWO MINUTES TO FINISH YOUR FOOD)**

**THE FINAL ROUND BEGINS AFTER DINNER**